





CONTENTS





DE LUXE From page 10



EXCELLENT

From page 16



PRESTIGE

From page **22**



LANDHAUS

From page 28



PREMIUM

From page 32

LIVING SPACES

- 42 A comfortable night's sleep
- 43 Bathroom
- 44 Kitchen
- 46 Home Comforts
- 48 On-board technology and multimedia
- 49 Chassis
- 50 Design
- 56 Upholstery versions
- 57 Awnings

OVERVIEWS

- 06 Advantages of Hobby
- 08 Model series
- 52 Interior standard fittings
- 54 Standard fittings
- 58 Features
- 60 Technical data
- 62 Models

3



TRADEMARK




»Always a step ahead. And making holiday dreams come true. These have been Hobby's mission for several decades.«



Harald Striewski Company owner

TRADEMARK







UNIQUE DESIGN

What makes Hobby's caravans so popular with our customers? Their modern design. Soft, flowing lines. And the generous special design with plenty of well thoughtout storage solutions A Hobby combines a modern exterior with functional details on the interior. The result is beautiful caravans you can really feel at home in.


THE LATEST FITTINGS

An enjoyable journey, in all four seasons. Thanks to its excellent insulation, even in winter the Hobby easily keeps out the cold. The economical TRUMA-S heating guarantees cosy warmth. Well thought out furniture design and rear ventilated upholstery guarantee an excellent indoor climate. Modern, perfectly matching material combinations and a comfortable bathroom are two more reasons to enjoy the day inside your caravan.

ALL INCLUDED

With a Hobby caravan, you'll be on the road in comfort. And you won't have to add on costly extras, as even our standard fittings are exceptional more than you would expect: a hot-water unit, central lighting-control system, "Slim Tower" refrigerator, extra-wide kitchen drawers, combicassette roller blinds and toilet bench are just a few of the features that will make your caravan everyday life a little bit easier. Many of our features are only available from Hobby.

ADVANTAGES OF HOBBY







CLEVER ENERGY SUPPLY

Hobby uses the very latest BUS technology in its caravans. With one centrally positioned operating panel, you can control the lighting and electrical appliances. Plus the Hobby ISP even goes a step further: This intelligent control programme forms part of the optional LCD panel. The latest generation of control technology keeps you informed with a number of useful measurements for your caravan and enables you to control further 230-V devices.

SAFETY AND COMFORT

On the safe side: In combination with a drawbar for the relevant vehicle length, our standard anti-snaking coupling stabilises the vehicle.

Our Premium model series come with KNOTT brakes with automatic adjustment. This special technology for caravans with overrun brakes is adjusted automatically in the event of brake lining wear.

QUALITY AND GUARANTEE

Quality is a key component of Hobby's corporate philosophy. Our management system is certified according to the latest ISO 9001:2008 standards. The quality of our caravans is constantly monitored and documented at fixed production stations. Only when all quality checks have been successfully completed are Hobby caravans made available to the public. Our vehicles are guaranteed to be watertight for five years, subject to annual inspections.





DE LUXE

Perfect for families: In the Hobby De Luxe, you will discover the latest technology combined with inspired design. Practical and cosy, these caravans allow you to enjoy your holiday wherever you please. The ideal holiday caravan, in a variety of models.

From page 10





EXCELLENT

Is comfort important to you while travelling?
Do you value practical details and beautiful design? The Excellent series combine elegant design with functional features – just what you need for a relaxing trip.

From page 16





PRESTIGE

You know what is important to you. So why compromise? A timeless classic, the Prestige combines tried-and-tested floor plans with modern design and details. So you'll feel right at home, wherever your journey takes you.

From page **22**

MODEL SERIES





LANDHAUS

Discover the charming Landhaus – a mobile country retreat. This caravan offers your a cosy home on four wheels! The classic static caravan let's you spend your holiday in your favourite location.

From page 28





PREMIUM

Are you ahead of the times? Do you love exclusive design and elegant features? The Premium series is the perfect choice for those who are looking for something special and strive for innovation. Experience a whole new world of camping.

From page 32

VERY INDIVIDUAL

Our customers have their own unique style and know exactly what they're looking for. That is true for every aspect of life, but above all for spare time. With our five model series, we can offer you a broad range of individual carayans.

But we don't stop there – in each model series, you can choose between a number of different layouts. That way you can find precisely the caravan that suits your needs and requirements best.

For singles, couples and families; for short trips or long holidays – we hope you enjoy your stay in the ideal caravan for you!



DE LUXE



»Young, free and flexible:
That's the way we live our lives,
and the way we feel when we're in
our Hobby De Luxe.«





DE LUXE



DE LUXE

(1)



A warm, cosy, uncluttered living room: thanks to the many easily-accessible storage spaces




YOUR OWN **HOME ON WHEELS**

You value simplicity in life. Objects in your home should be practical, but at the same time should also look good. And you have the same expectations in your mobile holiday home. That's why a Caravan from our De Luxe series is ideal for you!

We want you to be able to enjoy the ideal setup for you on holiday according to your own requirements. After all, where better to relax than a place where you feel most comfortable? That is why we let you choose from several different floor plans, so you get the De Luxe model that suits you and your family best.

As different as the various layouts in the series are, all models have one thing in common: a clear and uncomplicated interior with lots of practical features, easy to clean surfaces and a range of standard fittings – the quintessential Hobby!





De Luxe 380 TB Rear kitchen



External washroom with large mirrored surface







AN INCREDIBLE SENSE OF SPACE

Every single centimetre in your Hobby De Luxe is carefully considered in an optimum use of space. So even as a family you'll have plenty of space and can a enjoy a generous sense of space. Clever storage facilities will make sure there is a space for you to store everything you need throughout your travels. And then access it with ease whenever you need.






DE LUXE

De Luxe 400 SFe



De Luxe 545 KMF





SUGGESTION:

DE LUXE

NORDLAND awning EASY (more information on p. 57)

LAYOUTS DE LUXE

|--|



L: 569cm · B: 220cm · G: 1.100kg









L: 754cm · B: 250cm · G: 1.600 kg L: 762cm · B: 250cm · G: 1.600 kg

400 SF



L: 590 cm · B: 220 cm · G: 1.200 kg

490 KMF



L: 700 cm · B: 230 cm · G: 1.400 kg



560 KMFe



400 SFe



L: 593 cm · B: 230 cm · G: 1.200 kg

495 UL



L: 724 cm · B: 230 cm · G: 1.400 kg

560 CFe



L: 762cm · B: 250cm · G: 1.600kg

420 KB



L: 620 cm · B: 230 cm · G: 1.300 kg

440 SF

540 KMFe

L: 626 cm · B: 230 cm · G: 1.300 kg

540 UL



L: 742 cm · B: 230 cm · G: 1.500 kg L: 756 cm · B: 230 cm · G: 1.500 kg

650 KMFe



L: 844cm · B: 250cm · G: 1.900kg

WOOD DECOR / **UPHOLSTERY COMBINATIONS**



Pero Icaro / Anthrazit





EXCELLENT



»What is amazing about our Hobby Excellent is how clever ideas and fantastic comfort are combined.«





EXCELLENT



The new interior fittings in light shades create a very fresh atmosphere inside the Excellent models





Also in the Excellent series: the much loved 560 KMFe floor plan





ELEGANT AS WELL AS PRACTICAL

The sporty guy with good taste and an eye for high quality materials – would you say the description fits? Then perhaps that's why you like the Excellent so much!

Hobby has designed this model series for caravan fans who know precisely what they want: a caravan that will offer them holidays full of exciting experiences and deep relaxation.

The tasteful interior design in Excellent models provides all the comfort you need to enjoy long, care-free holidays. And one of the twelve different floor plans is sure to suit your needs perfectly.

Excellent 560 KMFe



Excellent 540 UFe



Excellent 540 WLU


Rear washroom





ALL GOOD THINGS COME IN SMALL PACKAGES

A compact build that still offers plenty of space: The Excellent 460 LU is our most compact single-bed vehicle with an interior length of 5 metres. But this small model certainly doesn't fall short when it comes to interior fittings. As with all floor plans in the Excellent series, interior design is optimised to gain as much space as possible.



EXCELLENT



SUGGESTION:

NORDLAND awning TRAVEL (more information on p. 57)

EXCELLENT

LAYOUTS EXCELLENT

455 UF

L: 661 cm · B: 230 cm · G: 1.350 kg

495 UFe



L: 689cm · B: 230cm · G: 1.400kg

560 UL



L: 762cm · B: 250cm · G: 1.600kg

460 LU



L: 661cm · B: 230cm · G: 1.350kg

495 UL



L: 724cm · B: 230cm · G: 1.400kg

560 KMFe



L: 762cm · B: 250cm · G: 1.600kg

460 UFe



L: 676cm · B: 230cm · G: 1.350kg

540 UFe



L: 738cm · B: 230cm · G: 1.500kg

560 UFf



L: 762cm · B: 250cm · G: 1.600kg

490 SFf



L: 700cm · B: 230cm · G: 1.400kg

540 WLU



L: 738cm · B: 230cm · G: 1.500kg

560 CFe



L: 762cm · B: 250cm · G: 1.600kg

WOOD DECOR / UPHOLSTERY COMBINATIONS





Madeira



PRESTIGE



»We want more from our holidays, not less!
That's why we chose a Hobby Prestige.«





PRESTIGE



PRESTIGE

The new colour scheme creates a sense of harmony 1





CLASSIC BEAUTY


A classic, brought up to date: Like all Hobby Caravans, the Prestige range has also been given a new colour scheme. The upholstery and curtains match and also blend in perfectly with the fittings. But these caravans are not just beautiful to look at, but also boast very practical features. Depending on the floor plan, the Prestige offers plenty of space for either couples or families.



Prestige 720 KFU



Prestige 560 WLU



Prestige 650 WFU

Rear washroom





STYLISH AND COMPACT

The Prestige series offers ten different floor plans to choose from. The floor plans 455 UF and 495 UL are the most compact couples models with a width of just 2.30 metres. This makes them a very manageable solution. Despite the small dimensions, the models are just as well equipped as their larger siblings.





PRESTIGE









SUGGESTION:

PRESTIGE

NORDLAND awning SEASON (more information on p. 57)


LAYOUTS PRESTIGE

L: 914cm · B: 250cm · G: 2.200 kg



L: 915cm · B: 250cm · G: 2.200kg

WOOD DECOR / UPHOLSTERY COMBINATIONS







»The Hobby Landhaus is everything we dreamt of in a mobile home.«





ANYTHING BUT SMALL

Hobby created the Landhaus model series for those who like to live life to the fullest. Yet the Landhaus still retains its popular shape with several windows, bays and the individual roof shape, which make these caravans such attractive models.



SUGGESTION:

NORDLAND awning LANDHAUS (more information on p. 57)

Couch suite



LAYOUTS LANDHAUS









Devon



PREMIUM



»We love being surrounded by beautiful things. And that includes when we're on holiday. So the Hobby Premium suits us perfectly.«





PREMIUM



PREMIUM









Premium 650 UKFe



Premium 540 KMFe
Children's bunk bed



MORE ROOM FOR CHILDREN

The Premium continues to set the standard. And it's no wonder – This series offers everything you would expect from a top of the range caravan, all at an unbelievable price.

Thanks to the two new children's bed floor plans, our junior campers also get comfortable place to sleep of their own. The intelligent division of space offers enough room for the whole family.

The very modern interior design creates an impressive atmosphere. Tasteful upholstery, elegant wood shades and high-quality kitchen fittings are complemented by atmospheric lighting.








Functional furniture handles

PREMIUM









HOBBY

Rear storage locker





Integrated manoeuvring handle at the nose



LED rear light with integrated manoeuvring handle

WELCOME TO THE FUTURE

Soft, flowing lines. Sparkling surfaces. Handles and hatches that fit seamlessly into the overall design. The Premium looks as if it were made from a single mould. Make yourself comfortable in the caravan of the future!

The Premium not only looks stunning on the outside, but also offers a surprising array of extras on the inside – Making your mobile life even more enjoyable. The locker space in the rear is a particular highlight, and offers you storage space for camping tables and chairs, for example.

The low locker sill makes changing gas cylinders safe and easy. The cover with two solid positioners can be opened upwards easily. Plus an aluminium chequer plate ensures greater stability.



COMPACT LUXURY

With a total of twelve floor plans, the Premium series offers the right caravan for every requirement. Which ever model you choose, you won't have to worry about comprising on luxury. Even our smallest model offers excellent comfort and plenty of space for relaxing holidays. At the same time, their manageable size makes these caravans easy to manoeuvre.






External washroom with large mirrored surface

PREMIUM

Premium 440 SFr







SUGGESTION:

PREMIUM

NORDLAND awning PREMIUM LIGHT (more information on p. 57)

LAYOUTS PREMIUM

440 SFr



L: 668cm · B: 230cm · G: 1.500kg

540 KMFe





L: 791 cm · B: 230 cm · G: 1.800 kg

610 UL



L: 844 cm · B: 250 cm · G: 2.000 kg

460 UFe



L: 715cm · B: 230cm · G: 1.600kg

560 UL



L: 802cm · B: 250cm · G: 1.800kg

650 UFf




L: 883cm · B: 250cm · G: 2.000kg

495 UL



L: 763 cm · B: 230 cm · G: 1.700 kg

560 WLU



L: 802 cm · B: 250 cm · G: 1.800 kg

650 UKFe



L: 888 cm · B: 250 cm · G: 2.000 kg

540 UFe



L: 775cm · B: 230cm · G: 1.800kg

560 CFe



L: 802cm · B: 250cm · G: 1.800kg

720 UML



L: 950cm · B: 250cm · G: 2.300kg

WOOD DECOR / UPHOLSTERY COMBINATIONS





Cannes



LIVING SPACES



»Our priority is to maintain our well established tradition, while constantly striving for innovation.«




LIVING SPACES

SLEEP COMFORTABLY

There's nothing better than falling tired into bed after a day spent out in nature. With slat-

ted frames and high-quality sprung mattresses or cold foam mattresses, you'll be sure to get a good, relaxing night's sleep in your Hobby caravan's sturdy beds. For models with single beds, you have the option of roll-out bed extensions, which allow you to create a large bed space, as and when required. Plus there are even more smart ideas when it comes to children's beds. Cloth bags provide storage for the little one's favourite treasures - handy for when they're required at bedtime, and also for keeping things tidy during the day. In the morning, the lower bed can be folded up, creating space for play below – and the bottom of the bed even transforms into a wipe-clean colouring board. The teddy bear bedside lights are also designed with children in mind. Turn the bear by the nose to dim the light – perfect for sending little campers off to







Teddy bear bedside lights

A COMFORTABLE NIGHT'S SLEEP

sleep.

Light-flooded central washroom





REFRESHING IDEAS

When developing our new washroom, our main priorities were a harmonious design and practicality.

Shelves and cupboards are ideal for those essential travel toiletries and cosmetics. The cascade tap fits seamlessly into the modern bathroom design. The Excellent series and upwards all feature toothbrush holders as standard, and all washrooms are equipped with an easy-to-use door handle.

Our toilet bench was custom designed for our washrooms. Smooth surfaces make the WC pleasant and easy to care for.

BATHROOM









Stainless steel combination with 3-ring hob and sink

KITCHEN





Extra wide drawer with PushLock



Corner floor cabinet in the corner kitchen



USEFUL DETAILS

The kitchens are a great example of the cleverly though-out interior fitting in Hobby caravans. For example, the exclusive "Slim Tower" refrigerator with its generous 140-litre volume was relocated from the kitchen block itself. This created extra storage space - which we took advantage of with soft-closing drawers and two spacious wall cupboards. So you have enough storage space for all your food items and cookware for an entire family. Storage basket units and pull-out drawers can be pulled out completely so that not a single centimetre goes to waste. Behind the top drawer (and therefore easily to access) are the shut of valves for the central gas supply.

WARM FEET IN THE WINTER

No need to worry about getting cold feet: Thanks to optional electric floor heating and ALDE water heating, your caravan will always be at a comfortable temperature, even in cold weather. The extra-large distances in the winter ventilation ensure a good distribution of heat and optimum air circulation. Then in summer, anyone wishing to watch a film in the awning will be glad of the TV unit right next to the front door. The TV Arm allows you to swivel the TV outwards when required. In the evening, insect protection pleated fabric on the roof light and windows in the living, sleeping and kitchen areas keep out any unwanted insect visitors. Additional blackout and insect protection blinds are just the thing for a long, undisturbed sleep.








HOME COMFORTS







CONTROL AT THE TOUCH OF A BUTTON

The standard operating panel allows you to control the lighting and hot water unit. Using the memory button, you can save your favourite lighting mood. The LED display keeps you informed on the water level in the fresh water tank. If you have chosen the floor heating option, this can also be controlled via the operating panel.

Thanks to the intelligent ISP operating panel, you can control even external energy-using devices such as the air conditioning and the ALDE hot-water system.



ON-BOARD TECHNOLOGY AND MULTIMEDIA

A torsion bar spring axle with longitudinal member technology including mounting fixture for TRUMA Mover



Drawbar with cover and load control

KNOTT brakes with automatic adjustment (Premium series) EXKLUSIVENT from Hobby



WINTERHOFF anti-snaking coupling with overrun brake system

WE'VE THOUGH OF EVERYTHING

Stable chassis with plenty of handy details – one of the distinguishing features of a Hobby carayan.

The caravan drawbar is precisely calibrated with the chassis in order to optimise handling. The cover of the drawbar can be stepped on and provides a continuous appearance. And the anti-snaking coupling by WINTERHOFF offers maximum safety while driving. Plus the anti-snaking coupling from WINTERHOFF offers maximum safety while driving.

Plus: our chassis include drill holes for assembling a TRUMA Mover. The Mover is quick and easy to assemble, saving you time and money!

CHASSIS

SAFE AND FUNCTIONAL

In the design of our caravans, safety and comfort given top priority.

As you can see for example with the large service hatches at the side and the awning rail with feeding assistance. The rail is integrated into the covering of the edge trim and therefore fits in harmoniously with the outer appearance of your caravan.

In addition to the surround lights, the large rear lights and third brake light ensure added visibility in road traffic. The spacious gas cylinder locker holds the gas supply steadily in place and offers enough space for the rollable waste water tank and an optional spare wheel.





Front marker lights



Extra spacious gas cylinder locker





Third brake light



Edge trim covering with integrated awning rail

DESIGN



Split entrance door with waste bin and pleated fabric for insect protection in door frame



Wheel arch guard with integrated Keder rail






Inner standing height of 1.95 metres



Good insulation thanks to double-glazed hinged windows



INTERIOR STANDARD FITTINGS



Soft-close drawers (model-specific)

Wardrobe
lighting with



Electronically regulated power supply including residual current circuit breaker



Robust, wideopening and securely closing furniture fittings



Reading spotlights as additional lighting (model-specific)




THETFORD

C500 toilet bench

hydraulic bed frame lifter (model-specific)

HIGHLIGHTS AND DETAILS

Your Hobby caravan comes equipped with a range of practical details. But you won't have to pay extra for them, but will get all features shown here as standard. So you can be sure your Hobby is ahead of the rest when it comes to the price-performance ratio.



STANDARD FITTINGS

Front marker lights Aerodynamic Spacious gas manoeuvering cylinder locker handles Gas regulator with over-pressure protection Hobby Integrated trailer nose weight display for jockey wheel Anti-snaking coupling and over-run brake system with automatic reversing device Wind-down Harmoniously Drawbar 13-pin socket JAEGER integrated with cover awning rail that can be

EVERYTHING YOU COULD POSSIBLY NEED ON BOARD!

Your caravan home also comes with a whole load of functional extras on the outside. As ever with Hobby, it all comes as standard!




stepped on

FROM PLAYFUL TO SLEEK

Each of our model series comes with modern upholstery as standard. Naturally, you can also choose other upholstery combinations from our range for your caravan.

For even more special features and options, please consult your Hobby retailer.



UPHOLSTERY VERSIONS



EASY: Sun blind awning, extendable to awning



TRAVEL: Stylish travelling awning with panoramic view



SEASON: Versatile partner for the whole year round



LANDHAUS: Exclusive, luxurious and highly individual



PREMIUM LIGHT: Elegant shape in the upmarket Premium Look



TRADITION AND QUALITY

A high-quality awning gives you a greater feeling of space and is the ideal companion to a caravan. The company Nordland-Zelte, which belongs to the Hobby Group, has specialised in precision-fitting, high-strength awnings for more than 40 years. Modern designs, high-quality materials and meticulous workmanship guarantee carefree caravanning with your new team a Hobby caravan and a Nordland awning.

Have a great holiday!



AWNINGS

| | | | | | | DE LUXE | | | | | | | | | ı | EXCELLENT | | | | | | | | | | |
|---|--|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|--------------|----------|--------------|---|-----------|--------|---------|-------------|---------|--------|----------|--------|----------|------------|------------|
| | STANDARD FITTINGS (MODEL-SPECIFIC) | | | | | | | | | | .e | | ۳ | .0 | , | | | | | | | | | ره. | | |
| | | 2 | SF | SFe | Α Θ | Ϋ́ | UFe | ΑM | 님 | 님 | ΑĔ | ΑĀ | ₹ 1 | e cre | | 占 | 3 | UFe | SFf | UFe : | Ⅎ ! | UFe W | | ¥ ₩ | F | CFe |
| | Depending on the model, these features are available in different designs and sizes: | 380 TB | 400 SF | 400 | 420 KB | 440 SF | 460 UFe | 490 KMF | 495 UL | 540 UL | 540 KMFe | 545 KMF | 560 KMFe | SOU CLE | 3 | 455 UF | 460 LU | 460 UFe | 490 SFf | 495 UFe | 495 UL | 540 UFe | 560 UL | 560 KMFe | 560 UFf | 560 CFe |
| | CHASSIS / SAFETY | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Hot-dip galvanised torsion bar spring axle with longitudinal member technology | _ | • | • | • | • | • | • | • | • | • | • | • | • | | • | • | • | • | • | • | • • | • | • | • | • |
| | Chassis reparation for Truma Mover | • | • | - | • | • | • | ٠ | ٠ | • | • | • | • | • | | • | • | • | • | • | • | • - | . • | • | ٠ | • |
| | Overrun brake system with automatic adjustment | _ | _ | - | - | - | - | - | - | - | - | - | _ - | - - | | - | - | - | - | - | | - - | | - | - | - |
| | Alloy wheels, buffed, black | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 0 |) (|) | 0 | 0 | 0 | 0 | 0 | 0 | 0 0 | 0 | 0 | 0 | 0 |
| | Jockey wheel/jockey wheel with trailer nose weight display | -/● | -/• - | -/• - | (• •/ | 0 | _/• | _/• - | -/• - | -/• - | -/• - | -/• - | -/• -/ | • -/• | -/• | -/● | -/● |
| | Wind-down legs/heavy-load support | •/0 | •/0 | •/0 | •/0 | •/0 | •/0 | •/0 | •/0 | -/● | -/● | _/• - | -/• - | '● | • | •/0 | •/0 | •/0 | •/o • | /0 | /0 - | -/• -/ | • –/• | _/• | -/● | -/● |
| | Tyre repair kit | • | • | • | • | • | • | • | • | • | • | • | • ' | • - | | • | • | • | • | • | • | • • | • | • | • | • |
| | INSULATION / VENTILATION | | | | | | | | | | | | | | | | | | | | | | | | | |
| | DOMETIC-SEITZ roof light, Mini-Heki 400 x 400 mm with blackout and insect protection blinds, bedroom | _ | _ | - | - | - | • | - | • | • | • | • | • • | • | | - | - | • | • | • | • | • • | • | • | • | • |
| | DOMETIC-SEITZ roof light, Mini-Heki 400 x 400 mm with blackout and insect protection blinds, kids' bedroom | - | - | - | - | - | - | - | - | - | • | • | • | - | | - | - | - | - | - | | | - | • | - | - |
| | STRUCTURE / AMBIENCE | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Sandwich design with easy to care for aluminium hammer finish | • | • | ٠ | • | ٠ | • | ٠ | ٠ | • | ٠ | • | • • | • | | • | • | • | • | • | • | • • | • | • | ٠ | • |
| | Sandwich design with easy to care for aluminium mini hammer finish | _ | _ | - | - | - | - | - | - | - | - | - | - - | - - | | - | - | - | - | - | - - | - - | - | | - | - |
| 2 | Carpeting, removable | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 (|) (| | • | ٠ | • | • | • | • | • • | • | • | ٠ | • |
| 4 | Metal lifter table | _ | _ | - | - | - | • | - | • | • | - | - | - - | - - | - | • | • | • | - | • | • | • • | • | - | • | - |
| | Column lifter table | - | - | - | - | - | - | - | - | - | - | ٠ | • | • | _ | - | - | - | - | - | | | - | • | - | • |
| | TV unit with lit glass cabinet including exclusive Hobby glasses | _ | _ | • | - | - | - | - | - | • | - | - | - ' | - | | - | - | - | - | • | - | • - | • | | - | • |
| П | LED mood lighting in living area, dimmable | - | _ | - | - | _ | - | - | - | - | - | - | | _ | | • | • | • | • | • | • | • • | • | • | • | • |
| | SLEEPING | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Sprung mattresses for all single and French beds | _ | • | • | - | • | • | • | • | • | • | • | • | • | | • | • | • | • | • | • | • | • | • | • | • |
| | Pneumatic lifting device for slatted frame | _ | • | • | - | • | • | • | - | - | • | • | • ' | • | | • | - | • | - | • | | • - | - | • | - | • |
| | Raising mechanism for slatted frame | _ | _ | - | - | - | _ | _ | • | • | - | - | | | | - | • | | • | _ | • | - • | • | - | • | - |
| | Lower children's bed foldable, colouring board on base | _ | _ | _ | • | _ | - | • | _ | | • | _ | | | | | | | | _ | _ | | | | - | |
| | KITCHEN COMETIC Clim Toward invades 140 by the consumble 10 libraries have | | | | | | | | | | | | | | | | _ | | | | | | _ | | | |
| | DOMETIC Slim Tower refrigerator, 140 I with removable 12-litre ice box | • | _ | • | • | - | • | • | • | • | • | • | • | | | _ | - | • | • | • | • | • | • | | • | • |
| | THETFORD refrigerator, 112 I with 14-litre ice box Kitchen light including socket | _ | | _ | _ | • | _ | _ | _ | _ | _ | _ | | | | - | • | _ | _ | _ | | | _ | | _ | _ |
| | Kitchen blind with built-in power sockets | | _ | | _ | _ | _ | _ | _ | _ | _ | _ | | | | _ | _ | _ | | _ | _ | | | | _ | |
| , | Fully extractable drawers and storage baskets with self-retracting function and push locks | _ | | _ | • | | • | | | • | • | | | | | · | | | _ | | | | | | | |
| | BATHROOM | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Roof light in washroom | | | - | • | | _ | | • | | | - | | | | • | | | | | | | | | | |
| | Vent window with frosted glass effect | | _ | | | | | | - | | | | | | | _ | | | _ | | _ | | _ | | _ | |
| | Separate shower | | | | | | | | | | _ | • | | _ | | _ | - | _ | _ | _ | _ | _ • | _ | | _ | |
| | ON-BOARD TECHNOLOGY | | | | | | | | | | | | _ | _ | | | | _ | | | | | | | _ | |
| | Operating panel for lighting system and tank display | • | • | | • | | • | | | • | • | | | | | • | | | | | | | | | • | |
| | LCD operating panel for lighting system and tank, incl. ISP | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | | | | | 0 | | | | 0 | 0 0 | 0 | 0 | | 0 |
| | Separate light switch for children | • | • | | • | • | • | • | • | • | • | • | • | | | | | | | | | | | | • | _ |
| | Exterior awning socket incl. 230 V output, satellite/TV connection | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 (|) (| | | | | | | | | | | • | |
| | TRUMA heating \$ (3004) hot-air supply and 12-Volt fan | • | • | • | • | • | • | • | • | • | • | • | | | | | | | | | | | _ | | | _ |
| | TRUMA heating S (5004) hot-air supply and 12-Volt fan | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | - | | | | _ | _ | _ | - | _ | _ | | | | | • |
| | Fixed fresh water tank with water level sensor: 25 I /50 I | •/0 | •/0 | •/0 | •/0 | •/0 | •/0 | •/0 | •/0 | -/• | -/● | -/• - | -/• - | · _/ | | •/0 | •/0 | •/o |) /0 | /0 | /0 - | -/• -/ | • _/• | -/• | -/• | -/• |
| | THETFORD service hatch with central lock, lockable | • | • | • | • | • | • | • | • | • | • | • | • | , (| | | | | - | | | • | | • | • | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | |

| | | | P | PRES | TIG | E | | | | LAI HA | ND- US | | | | | F | PREM | IUIN | VI | | | | |
|------------|------------|-----------------------|------------|------------|------------|------------|------------|-----------------------|------------|------------|------------|------------|------------|------------|-----------------------|-----------------------|-----------------------|-----------------|--------------|------------|-----------------------|------------|----------|
| 455 UF | 495 UL | 260 WLU | 260 UL | 610 UL | 650 UMFe | 650 WFU | 650 KFU | 720 UKFe | 720 KFU | 770 CFe | 770 CL | 440 SFr | 460 UFe | 495 UL | 540 UFe | 540 KMFe | 260 UL | 260 WLU | 560 CFe | 610 UL | 650 UFf | 650 UKFe | 720 IIMI |
| | | | | | | | | | | | | | | | | | | | | | | | |
| | • | _ | • | • | • | _ | • | • | • | _ | _ | • | • | • | • | • | • | • | • | • | • | • | _ |
| _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | • | • | • | • | • | • | • | • | • | • | • | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | • | • | • | • | • | • | • | • | • | • | • | |
| -/• | -/• | -/• | -/• | •/0 | •/0 | •/0 | •/0 | •/0 | •/0 | •/0 | •/0 | -/● | -/• | -/● | -/• | -/● | -/● | -/• | -/• | •/0 | •/0 | •/0 | •, |
| •/0 | •/0 | -/• | -/• | -/● | -/● | -/• | -/● | -/• | -/• | -/● | -/• | -/● | -/● | -/• | -/• | -/● | -/● | -/• | -/• | -/● | -/● | -/● | - |
| • | • | • | • | - | - | - | - | - | _ | _ | _ | • | • | • | • | • | • | • | • | - | - | - | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| - | • | • | • | • | • | • | • | • | • | • | • | _ | • | • | • | • | • | • | • | • | • | • | |
| - | - | - | - | - | - | - | - | • | • | - | - | _ | - | - | - | • | - | - | - | - | - | - | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| • | ٠ | • | ٠ | • | • | • | • | • | • | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| - | - | - | - | - | - | - | - | - | _ | • | • | • | • | • | • | • | • | • | • | • | • | • | |
| • | • | ٠ | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | |
| • | • | • | • | • | • | • | • | • | • | _ | - | - | • | • | • | - | • | • | - | • | • | • | |
| - | - | - | - | - | - | - | - | - | - | • | • | - | - | - | - | - | - | - | • | - | - | - | |
| - | - | • | • | _ | - | - | • | • | _ | _ | • | • | - | - | • | - | • | • | • | - | - | - | |
| • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| • | | | | | | | | • | • | | | • | • | | • | | • | • | • | · | • | • | |
| | • | • | | | | | | | | _ | | _ | _ | • | _ | _ | • | | _ | • | • | _ | |
| _ | _ | _ | _ | _ | _ | _ | • | _ | _ | _ | _ | _ | _ | _ | _ | • | _ | _ | _ | _ | _ | _ | |
| _ | | | | | | | | | | | | | | | | | | | | | | | |
| | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | |
| | - | - | - | - | - | - | - | - | _ | - | _ | _ | _ | _ | _ | - | _ | - | - | _ | _ | _ | |
| - | - | - | - | - | - | - | - | - | _ | - | _ | • | - | - | - | - | - | - | - | - | - | - | |
| • | • | • | • | • | • | • | • | • | • | • | • | - | • | • | • | • | • | • | • | • | • | • | |
| - | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| • | • | • | • | • | - | • | • | - | - | - | • | • | - | • | - | - | • | • | - | • | • | - | |
| - | - | • | - | - | • | • | - | • | • | • | - | - | • | - | • | • | - | • | • | - | - | • | |
| - | - | • | - | - | - | • | - | - | • | • | • | - | - | - | - | - | - | • | - | - | - | - | |
| | | | | | | | | | | | | | | | | | | | | | | | |
| • | • | • | • | • | • | • | • | • | • | - | _ | - | - | - | - | - | - | - | - | - | - | - | |
| 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | • | • | • | • | • | • | • | • | • | • | • | • | • | |
| • | • | • | • | • | • | • | • | • | • | • | • | _ | • | • | • | • | • | • | • | • | • | • | |
| • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | |
| • | • | _ | - | - | - | - | - | _ | _ | _ | _ | • | • | - | - | - | - | - | - | - | - | - | |
| - •/o | - | −/• | -/- | -/- | -/- | -/- | -/- | −/• | -/- | -/- | -/- | - •/o | - •/o | •/0 | −/• | −/• | −/• | ● -/• | ● -/• | -/• | −/• | -/- | |
| •/0 | •/0 | -/• | -/• | -/• | -/• | -/• • | _/• • | -/• • | _/• • | -/• • | -/● | ●/0 | •/0 | •/0 | -/ • | -/ ● | - /● | -/ • | -/ • | -/• | -/• | -/● | - |

STANDARD FITTINGS (GENERAL)

These features are in all Hobby caravans:

CHASSIS / SAFETY

- One-key closing system
- Wheel shock absorber
- WINTERHOFF anti-snaking coupling WS 3000
- Drawbar cover

INSULATION / VENTILATION

- All windows: combination-cassette with sun and insect protection (not bathroom window)
- DOMETIC-SEITZ roof light, Midi-Heki 700 x 500 mm with blackout and insect protection blinds
- Double-glazed hinged window
- Insulated wheel arches
- Rear-ventilated storage cupboards
- Winter backrests (winter ventilation)

STRUCTURE / AMBIENCE

- Edge trim covering with integrated awning rail
- Wheel arch guard with integrated Keder rail
- Split entrance door with window, waste bin, storage areas and pleated fabric for insect protection in door frame
- Easy-access step

- Awning light
- Hard wearing, easy to care for PVC floor covering
- Upholstered backrests
- Ceiling lights above the seating unit

KITCHEN

 Stainless-steel combination with basin, three-flame gas cooker and glass cover

BATHROOM

THETFORD cassette toilet

ON-BOARD TECHNOLOGY

- Electronically regulated power supply
- Residual current circuit breaker
- Antenna socket with co-axial cable
- Central gas distributor in kitchen area
- Gas regulator with over-pressure protection (DIN EN 12 864) and hose line
- Jaeger 13-pole passenger vehicle connection plug
- TRUMA heating unit for hot water supply
- Rollable waste water tank (22 I)

59

| SERIES | Model | Overall length cm | Body length / Interior length cm | Overall width / interior width cm | Overall height¹ / Inside headroom cm | Floor, roof and wall thickness mm | Technically permis- sible gross weight ² kg | Weight in travel-ready state ³ kg | Load⁴ kg | Technical, possible increased gross weight kg | Vehicle payload at maximum loading kg | Technical, possible decreased gross weight kg | |
|-----------|----------|-------------------------|--|---|--|---|--|--|-------------|---|---|---|--|
| | 380 TB | 569 | 450 / 420 | 220 / 207 | 259 / 195 | 37 / 31 / 31 | 1.100 | 963 | 137 | 1.200 | 237 | 1.050 | |
| | 400 SF | 590 | 470 / 441 | 220 / 207 | 259 / 195 | 37 / 31 / 31 | 1.200 | 974 | 226 | 1.350 | 376 | 1.100 | |
| | 400 SFe | 593 | 474 / 444 | 230 / 217 | 259 / 195 | 38 / 31 / 31 | 1.200 | 1.050 | 150 | 1.350 | 300 | 1.150 | |
| | 420 KB | 620 | 501 / 471 | 230 / 217 | 259 / 195 | 38 / 31 / 31 | 1.300 | 1.112 | 188 | 1.350 | 238 | 1.200 | |
| | 440 SF | 626 | 507 / 477 | 230 / 217 | 259 / 195 | 38 / 31 / 31 | 1.300 | 1.087 | 213 | 1.350 | 263 | 1.200 | |
| | 460 UFe | 676 | 555 / 526 | 230 / 217 | 260 / 195 | 38 / 31 / 31 | 1.350 | 1.180 | 170 | 1.500 | 306 | 1.300 | |
| DE LUXE | 490 KMF | 700 | 580 / 550 | 230 / 217 | 260 / 195 | 38 / 31 / 31 | 1.400 | 1.243 | 157 | 1.500 | 257 | 1.350 | |
| DE LOXE | 495 UL | 724 | 604 / 574 | 230 / 217 | 260 / 195 | 38 / 31 / 31 | 1.400 | 1.277 | 123 | 1.500 | 223 | - | |
| | 540 UL | 742 | 622 / 592 | 230 / 217 | 259 / 195 | 38 / 31 / 31 | 1.500 | 1.327 | 173 | 1.750 | 401 | 1.450 | |
| | 540 KMFe | 756 | 636 / 606 | 230 / 217 | 259 / 195 | 38 / 31 / 31 | 1.500 | 1.340 | 160 | 1.750 | 388 | 1.450 | |
| | 545 KMF | 754 | 636 / 606 | 250 / 237 | 260 / 195 | 39 / 31 / 31 | 1.600 | 1.406 | 194 | 1.750 | 328 | 1.500 | |
| | 560 KMFe | 762 | 644 / 615 | 250 / 237 | 260 / 195 | 39 / 31 / 31 | 1.600 | 1.444 | 156 | 1.750 | 290 | 1.550 | |
| | 560 CFe | 762 | 644 / 615 | 250 / 237 | 260 / 195 | 39 / 31 / 31 | 1.600 | 1.417 | 183 | 1.750 | 317 | 1.550 | |
| | 650 KMFe | 844 | 726 / 696 | 250 / 237 | 256 / 195 | 39 / 31 / 31 | 1.900 | 1.626 | 274 | 2.200 | 555 | 1.800 | |
| | 455 UF | 661 | 540 / 511 | 230 / 217 | 260 / 195 | 38 / 31 / 31 | 1.350 | 1.147 | 203 | 1.500 | 339 | 1.250 | |
| | 460 LU | 661 | 540 / 511 | 230 / 217 | 260 / 195 | 38/31/31 | 1.350 | 1.150 | 200 | 1.500 | 336 | 1.250 | |
| | 460 UFe | 676 | 555 / 526 | 230 / 217 | 260 / 195 | 38 / 31 / 31 | 1.350 | 1.192 | 158 | 1.500 | 294 | 1.300 | |
| | 490 SFf | 700 | 580 / 550 | 230 / 217 | 260 / 195 | 38 / 31 / 31 | 1.400 | 1.250 | 150 | 1.500 | 250 | 1.350 | |
| | 495 UFe | 689 | 568 / 538 | 230 / 217 | 260 / 195 | 38 / 31 / 31 | 1.400 | 1.237 | 163 | 1.500 | 263 | 1.350 | |
| EXCELLENT | 495 UL | 724 | 604 / 574 | 230 / 217 | 260 / 195 | 38 / 31 / 31 | 1.400 | 1.286 | 114 | 1.500 | 214 | - | |
| EXCELLENT | 540 UFe | 738 | 618 / 589 | 230 / 217 | 259 / 195 | 38 / 31 / 31 | 1.500 | 1.340 | 160 | 1.750 | 388 | 1.450 | |
| | 540 WLU | 738 | 618 / 589 | 230 / 217 | 259 / 195 | 38 / 31 / 31 | 1.500 | 1.319 | 181 | 1.750 | 409 | 1.450 | |
| | 560 UL | 762 | 644 / 615 | 250 / 237 | 260 / 195 | 39 / 31 / 31 | 1.600 | 1.447 | 153 | 1.750 | 287 | 1.550 | |
| | 560 KMFe | 762 | 644 / 615 | 250 / 237 | 260 / 195 | 39 / 31 / 31 | 1.600 | 1.457 | 143 | 1.750 | 277 | 1.550 | |
| | 560 UFf | 762 | 644 / 615 | 250 / 237 | 260 / 195 | 39 / 31 / 31 | 1.600 | 1.411 | 189 | 1.750 | 323 | 1.550 | |
| | 560 CFe | 762 | 644 / 615 | 250 / 237 | 260 / 195 | 39 / 31 / 31 | 1.600 | 1.429 | 171 | 1.750 | 305 | 1.550 | |
| | 455 UF | 661 | 540 / 511 | 230 / 217 | 260 / 195 | 38/31/31 | 1.350 | 1.162 | 188 | 1.500 | 324 | 1.250 | |
| | 495 UL | 724 | 604 / 574 | 230 / 217 | 259 / 195 | 38 / 31 / 31 | 1.500 | 1.300 | 200 | 1.750 | 428 | 1.400 | |
| | 560 WLU | 760 | 642 / 613 | 250 / 237 | 260 / 195 | 39 / 31 / 31 | 1.600 | 1.450 | 150 | 1.750 | 284 | 1.550 | |
| | 560 UL | 762 | 644 / 615 | 250 / 237 | 260 / 195 | 39 / 31 / 31 | 1.600 | 1.470 | 130 | 1.750 | 264 | 1.550 | |
| DDECTICE | 610 UL | 810 | 692 / 662 | 250 / 237 | 256 / 195 | 39 / 31 / 31 | 1.900 | 1.642 | 258 | 2.200 | 539 | 1.800 | |
| PRESTIGE | 650 UMFe | 844 | 726 / 696 | 250 / 237 | 256 / 195 | 39 / 31 / 31 | 1.900 | 1.637 | 263 | 2.200 | 544 | 1.800 | |
| | 650 WFU | 844 | 726 / 696 | 250 / 237 | 256 / 195 | 39 / 31 / 31 | 1.900 | 1.681 | 219 | 2.200 | 500 | 1.800 | |
| | 650 KFU | 849 | 731 / 701 | 250 / 237 | 256 / 195 | 39 / 31 / 31 | 1.900 | 1.677 | 223 | 2.200 | 504 | - | |
| | 720 UKFe | 914 | 796 / 766 | 250 / 237 | 260 / 195 | 41 / 31 / 31 | 2.200 | 1.828 | 372 | 2.500 | 670 | 2.000 | |
| | 720 KFU | 915 | 796 / 766 | 250 / 237 | 260 / 195 | 39 / 31 / 31 | 2.200 | 1.832 | 368 | 2.500 | 666 | 2.000 | |
| LANBUALIO | 770 CFe | 914 | 776 / 730 | 250 / 237 | 280 / 233 | 41/31/31 | 2.300 | 1.981 | 319 | 2.500 | 517 | 2.200 | |
| LANDHAUS | 770 CL | 914 | 776 / 730 | 250 / 237 | 280 / 233 | 41/31/31 | 2.300 | 1.996 | 304 | 2.500 | 502 | 2.200 | |
| | 440 SFr | 668 | 549 / 477 | 230 / 217 | 260 / 195 | 38 / 31 / 31 | 1.500 | 1.289 | 211 | 1.750 | 446 | 1.450 | |
| | 460 UFe | 715 | 595 / 524 | 230 / 217 | 260 / 195 | 38 / 31 / 31 | 1.600 | 1.351 | 249 | 1.750 | 384 | 1.500 | |
| | 495 UL | 763 | 643 / 572 | 230 / 217 | 260 / 195 | 38 / 31 / 31 | 1.700 | 1.447 | 253 | 1.750 | 303 | 1.600 | |
| | 540 UFe | 775 | 655 / 584 | 230 / 217 | 260 / 195 | 38 / 31 / 31 | 1.800 | 1.471 | 329 | 2.000 | 512 | 1.600 | |
| | 540 KMFe | 791 | 671 / 600 | 230 / 217 | 260 / 195 | 38 / 31 / 31 | 1.800 | 1.485 | 315 | 2.000 | 498 | 1.600 | |
| | 560 UL | 802 | 684 / 612 | 250 / 237 | 261 / 195 | 39/31/31 | 1.800 | 1.595 | 205 | 2.000 | 579 | 1.700 | |
| PREMIUM | 560 WLU | 802 | 684 / 612 | 250 / 237 | 261 / 195 | 39 / 31 / 31 | 1.800 | 1.607 | 193 | 2.000 | 376 | 1.700 | |
| | 560 CFe | 802 | 684 / 612 | 250 / 237 | 261 / 195 | 39/31/31 | 1.800 | 1.600 | 200 | 2.000 | 383 | 1.700 | |
| | 610 UL | 844 | 727 / 655 | 250 / 237 | 258 / 195 | 39/31/31 | 2.000 | 1.763 | 237 | 2.200 | 434 | 1.900 | |
| | 650 UFf | 883 | 766 / 694 | 250 / 237 | 258 / 195 | 41/31/31 | 2.000 | 1.798 | 202 | 2.200 | 399 | 1.900 | |
| | 650 UKFe | 888 | 771 / 699 | 250 / 237 | 258 / 195 | 39/31/31 | 2.000 | 1.819 | 181 | 2.200 | 378 | 1.900 | |
| | 720 UML | 950 | 830 / 759 | 250 / 237 | 260 / 195 | 39 / 31 / 31 | 2.300 | 1.982 | 318 | 2.500 | 516 | 2.200 | |
| | | | | | | | | | | | | | |

| Number of axles | Circumferential dimension cm | Number of lying places Adults / children | Lying-down area, front cm | Lying-down area, middle cm | Lying-down area, rear cm | Model |
|-----------------|------------------------------------|--|------------------------------|-------------------------------|-----------------------------|------------------|
| 1 | 814 | 2 | 185 x 156 / 152 | - | - | 380 TB |
| 1 | 845 | 3 / 1 | 197 x 130 | - | 191 x 134 / 93 | 400 SF |
| 1 | 845 | 3/1 | 197 x 137 / 114 | - | 190 x 101 | 400 SFe |
| 1 | 878 | 2/2 | 195 x 132 | - | 188 x 70 ; 184 x 70 | 420 KB |
| 1 | 880 | 3 / 1 | 207 x 130 | - | 191 x 130 / 93 | 440 SF |
| 1 | 929 | 4 | 198 x 138 / 112 | - | 195 x 141 / 125 | 460 UFe |
| 1 | 955 | 4/2 | 207 x 130 | 184 x 105 / 95 | 188 x 70 ; 184 x 70 | 490 KMF |
| 1 | 964 | 4 | 196 x 83 ; 184 x 83 | - | 195 x 158 / 124 | 495 UL |
| 1 | 993 | 4 | 2 x 190 x 82 | - | 195 x 154 / 140 | 540 UL |
| 1 | 1.010 | 4/2 | 198 x 138 / 112 | 188 x 105 / 95 | 188 x 70 ; 184 x 70 | 540 KMFe |
| 1 | 1.010 | 4/2 | 200 x 140 / 118 | 194 x 117 / 107 | 2 x 188 x 70 | 545 KMF |
| 1 | 1.018 | 4/2 | 197 x 157 / 120 | 212 x 118 / 105 | 184 x 70 ; 188 x 70 | 560 KMFe |
| 1 | 1.014 | 4 | 198 x 158 / 131 | - | 215 x 204 / 179 | 560 CFe |
| 2 | 1.095 | 4/2 | 197 x 157 / 120 | 212 x 119 / 106 | 2 x 192 x 70 | 650 KMFe |
| 1 | 914 | 4 | 207 x 130 | - | 195 x 161 / 126 | 455 UF |
| 1 | 914 | 4 | 195 x 140 / 106 | - | 199 x 76 ; 180 x 76 | 460 LU |
| 1 | 929 | 4 | 198 x 138 / 112 | - | 195 x 141 / 126 | 460 UFe |
| 1 | 955 | 3 / 1 | 192 x 146 | - | 211 x 101 / 83 | 490 SFf |
| 1 | 938 | 4 | 198 x 138 / 112 | - | 195 x 142 / 139 | 495 UFe |
| 1 | 964 | 4 | 196 x 83 ; 184 x 83 | - | 195 x 158 / 124 | 495 UL |
| 1 | 993 | 4 | 198 x 138 / 112 | - | 195 x 168 / 159 | 540 UFe |
| 1 | 993 | 4 | 195 x 146 / 136 | - | 197 x 79 ; 178 x 79 | 540 WLU |
| 1 | 1014 | 4 | 199 x 89 ; 197 x 89 | - | 215 x 148 / 134 | 560 UL |
| 1 | 1.018 | 4/2 | 197 x 157 / 120 | 212 x 118 / 105 | 188 x 70 ; 184 x70 | 560 KMFe |
| 1 | 1.018 | 4 | 192 x 156 | - | 215 x 156 / 130 | 560 UFf |
| 1 | 1.014 | 4 | 198 x 158 / 131 | - | 215 x 205 / 181 | 560 CFe |
| 1 | 914 | 4 | 207 x 130 | - | 195 x 161 / 124 | 455 UF |
| 1 | 964 | 4 | 196 x 83 ; 184 x 83 | - | 195 x 158 / 124 | 495 UL |
| 1 | 1.018 | 4 | 215 x 144 / 143 | - | 2 x 192 x 85 | 560 WLU |
| 1 | 1.014 | 4 | 199 x 89 ; 197 x 89 | - | 215 x 148 / 134 | 560 UL |
| 2 | 1.066 | 4 | 2 x 199 x 89 | - | 215 x 193 / 172 | 610 UL |
| 2 | 1.095 | 5 | 198 x 158 / 131 | 186 x 81 | 215 x 162 / 154 | 650 UMFe |
| 2 | 1.095 | 4 | 215 x 188 / 165 | 200 x 135 / 110 | - | 650 WFU |
| 2 | 1.095 | 4/2 | 215 x 147 / 135 | 200 x 135 / 110 | 188 x 70 ; 184 x 70 | 650 KFU |
| 2 | 1.170 | 4/3 | 197 x 157 / 120 | 2 x 194 x 70 ; 182 x 81 | 215 x 137 / 154 | 720 UKFe |
| 2 | 1.170 | 4/2 | 215 x 167 / 145 | 200 x 135 / 110 | 2 x 188 x 70 | 720 KFU |
| 2 | 1.100 | 4 | 200 x 159 / 124 | - | 215 x 211 / 192 | 770 CFe |
| 2 | 1.100 | 4 | 2 x 199 x 90 | - | 215 x 211 / 192 | 770 CL |
| 1 | 846 | 3 | 207 x 130 | - | 192 x 102 | 440 SFr |
| 1 | 890 | 4 | 198 x 138 / 112 | - | 195 x 141 / 127 | 460 UFe |
| 1 | 942 | 4 | 197 x 82 ; 181 x 82 | - | 195 x 157 / 124 | 495 UL |
| 1 | 950 | 4 | 198 x 138 / 112 | - | 195 x 165 / 163 | 540 UFe |
| 1 | 964 | 4/2 | 198 x 138 / 112 | 184 x 105 / 95 | 188 x 87 ; 184 x 65 | 540 KMFe |
| 1 | 977 | 4 | 199 x 89 | - | 215 x 148 / 136 | 560 UL |
| 1 | 977 | 4 | 215 x 146 | - | 2 x 192 x 85 | 560 WLU |
| 1 | 977 | 4 | 198 x 158 / 131 | - | 215 x 204 / 181 | 560 CFe |
| 2 | 1.022 | 4 | 2 x 199 x 89 | - | 215 x 188 / 168 | 610 UL |
| 2 | 1.060 | 4 | 200 x 156 | - | 215 x 144 / 148 | 650 UFf |
| 2 | 1.065 | 4/2 | 198 x 157 / 118 | 2 x 180 x 70 | 215 x 130 / 168 | 650 UKFe |
| 2 | 1.124 | 5 | 2 x 199 x 89 | 195 x 81 | 215 x 146 / 145 | 720 UML |
| | | | | | – Not techn | ically supported |

TECHNICAL DATA

mm, the floor thickness 40 mm. Deviations of up to 5% are possible in weight data due to the use of natural materials. All dimensions are non-binding and may be subject to minor changes. We reserve the right to make modifications to equipment and fittings. The water supply system represents the latest technology as of 03/2009 (directive 2002/72/ EC).

The roof/wall thickness on all models is 31

- 1 Depending on the model and equipment level, the unladen vehicle may be up to 50 mm higher.
- 2 The technically permissible gross weight must not be exceeded under
- 3 The weight in the ready-to-travel state includes the unladen weight of the standard caravan plus the basic equipment. The basic equipment is made up of a completely full 11 kg aluminium gas bottle, a 100 % filled fresh water tank and if applicable a toilet flush tank and cable
 - The basic fitting for the models 380 400 SF equals: 61 kg. models 400 SFe – 495: 62 kg, 540 – 720 UML/UKFe: 87 kg, models WLU, WFU, KMF, 720 KFU: 71 kg, Landhaus: 88 kg
- 4 The loading corresponds to the difference between the "technically permissible gross weight" and the "ready-to-travel state". This value must take account of the values for optional extras and personal items...







- Not technically supported




400 SFe

440 SF

490 SFf


460 LU



L: 569cm · B: 220cm · G: 1.100 kg


380 TB


De Luxe



400 SF








QUEEN SIZE BED










































EXPLANATION OF SYMBOLS














SINGLE BEDS


















540 KMFe






























Washroom

free-standing

external bathroom



DESIGN



K Children's bed

L Single bed

- M Central seating unit
- S Side seating unit
- B Forward seating area
- T Compact shower room
- U Circular seating unit
- C 3/4 couch seating group

TECHNICA

- L: total length
 - B: total width
 - G: Technically permissable gross weight

Hobby-Wohnwagenwerk Ing. Harald Striewski GmbH Harald-Striewski-Straße 15



nature of the materials used and are found in the trade. The same applies to technical changes to the vehicle provided the product quality

